Pediatr Cardiol 11:261–267, 1990

Subject Index

Abbreviations: (A) Abstract, (CR) Case Report, (LE) Letter to the Editor, and (TP) Technical Procedures.

ASD, atrial septal defect; AV, atrioventricular; CHD, congenital heart disease; CV, cardiovascular; LA, left atrium; LCA, left coronary artery; NMR, nuclear magnetic resonance; PDA, persistent or patent ductus arteriosus; PS, pulmonary stenosis; RA, right atrium; RV, right ventricle or right ventricular; SVC, superior vena cava; TGA, transposition of the great arteries; VSD, ventricular septal defect.

Absent aortic valve: a complex anomaly; 195
Absent pulmonary valve, with VSD syndrome in aortic coarctation (CR); 159
ACEI in children (RA); 199
Anemia, sickle cell, cardiovasular effects of hypertransfusion therapy; 131
Aneurysm, atrial septal, in infancy; 82
of the thoracoabdominal aorta and blood elastase activity (LE); 179
Angiography, in truncus arteriosus (RA); 36
Angioplasty, balloon, of coartation of the aorta (A); 241
Angiotensin-converting enzyme inhibitors in children (RA); 199
Anomalous origin, of both pulmonary arteries from the ascending aorta (CR); 156
of left main coronary artery (LE); 173
Anomalous venous connection, total, left heart dimensions in (A); 249
Anterior leaflet, mitral perforation of (CR); 93
Anthracycline, induced ventricular dysfunction assessed by Doppler-echocardiography (A); 239
Antiarrhythmic drugs: flecainide; 143
Aorta aneurysm and blood elastase activity (LE); 179
Aorta-pulmonary collateral arteries, coil embolization of (A); 248
Aortic arch, fourth, abnormal development of in the pathogenesis of tetralogy of Fallot; 69
type B interrupted, and truncus arteriosus (CR); 117
Aortic balloon valvotomy, emergency, in critical aortic stenosis of the neonate (LE); 59
Aortic coarctation, postoperatively assessed by cine MRI (A); 245
residual, gradient across; 8
Aortic obstruction, unusual form of, in posterior D-TGA (CR); 170
Aortic recoarctation, assessed by MRI (A); 252
Aortic stenosis, critical, emergency aortic balloon valvotomy in (LE); 59
Aortic valve, absent, a complex anonaly; 195
Aortopulmonary window, coexisting with tetralogy of Fallot (echocardiographic diagnosis) (CR); 41
Arrhythmias, monitored by a transtelephonic electrocardiography (A); 255
Arrhythmogenic right ventricular dysplasia, related to myocarditis? (CR); 113
Arterial switch operation, abnormal left ventricular functional reserve after (A); 254
Arterial switch operation, evaluated by MRI (A); 236
for TGA evaluated by Doppler-echocardiography (A); 240
Arteriovenous fistulas, bilateral coronary (CR); 111
Atresia, pulmonary, and VSD, results of unifocalization (A); 234
coronary vasculature in (A); 233
with and without VSD: natural history of (A); 253
with intact ventricular septum: early and late results (A); 234
with intact ventricular septum, treated by pulmonary valvotomy and continued prostaglandins (A); 233
Atrial baffle function, by transoesophageal echocardiography (A); 232
Atrial flutter, diagnosed and terminated by transesophageal electrocardiography and pacing (A); 255
Atrial septal aneurysm in infancy; 82
defect, coronary sinus, associated with omphalocele (CR); 167
secundum, morphological variations of (A); 241
Atriopeptin, plasma, after Fontan procedure (A); 254
Atrioventricular junction, assessment of, by transoesophageal echocardiography (A); 232
Atrioventricular septal defect convergence of chordal attachments (single papillary muscle and double orifice left ventricle); 29

Balloon angioplasty of coartation of the aorta (A); 241
Balloon catheter, nondeflatable, successful treatment of (TR); 150
Balloon dilatation, of right ventricular outflow in tetralogy of Fallot, increase in size of pulmonary arteries after (A); 240
percutaneous, of pulmonary artery stenosis (A); 253
Band, pulmonary artery, disappearance of (CR); 47
Beta-adrenergic system of the heart in congenital heart disease (A); 243

Bifurcation of pulmonary artery, useful projection for demonstrating (TR); 147
Biopsy, endomyocardial, in infants and children; 15
Bland-White-Garland syndrome with myocardial infarction on the first day after birth (LE); 175
Blood elastase activity in aneurysm of the thoracoabdominal aorta (LE); 179
Blood flow measurement in CHD by cine magnetic resonance (A); 252
Blood flow velocity waveforms by Doppler, computerized measurements of (A); 231
Bradycardia, in children (A); 243
Brain energy metabolism measured by 31P- magnetic resonance spectroscopy (A); 246
Brock transventricular pulmonary valvotomy for pulmonary stenosis; 191
Bronchitis, plastic, as a complication of Fontan operation (LE); 228

Captopril in children with dilated cardiomyopathy; 22
Cardiac beta-adrenergic system in children with congenital heart disease (A); 243
Cardiac catheterization, hemodynamic effects of ketamine during; 72
Cardiac metastasis in childhood leukemia diagnosed by echocardiography (CR); 225
Cardiac output, low, treated with exoximone (A); 255
Cardiac rhabdomyoma, disappearance of, (CR); 98
Cardiac surgery, postoperative exercise training after; 126
Cardiac surgery for TAPVC, left heart dimensions and outcome in neonates (A); 249
Cardiac teratogenesis in mammals produced by dichloroethylene and trichloroethylene (A); 244
Cardiac valve repair in children (A); 254
replacement in children (A); 254
Cardiomegaly, comparison of echocardiographic and radiological cardiac dimensions in children; 181
Cardiomyopathy, dilated, captopril in children with; 22
Cardiomyopathy, fatal hypertrophic, in an infant of a diabetic mother (CR); 211
Cardiopulmonary bypass surgery, loss of cerebral autoregulation during, (A); 249
Cardiovascular anomalies in Kawasaki disease (A); 249
Cardiovascular effects, of hypertransfusion in sickle cell anemia; 131
Catheter, balloon atrial septostomy, nondeflatable, successful treatment of (TR); 150
Cerebral autoregulation, loss of, during cardiopulmonary bypass in children (A); 249
Cerebral embolization from IVC thrombus in tetralogy of Fallot (CR); 44
Chorioangioma placental as a cause of congestive heart failure in newborns (CR); 221
Cine MRI in congenital cardiac defects (A); 235
Cine magnetic resonance imaging, for measuring blood flow in CHD (A); 252
Closure, non surgical, of ductus arteriosus (A); 241
Coarctation, residually aortic, Doppler-derived gradient across; 8
Coartation of the aorta, balloon angioplasty of (A); 241
in absent pulmonary valve with VSD syndrome (CR); 159
MRI in the diagnosis of (A); 246
Collateral arteries, and the embryology of the vascular system in the lung (A); 248
after correction of pulmonary atresia (A); 234
aorta-pulmonary, coil embolization of (A); 248
Colour Doppler flow mapping, preoperatively without catheterization (A); 245
Congenital heart defects diagnosed by MRI (A); 246
search for a gene involved in (A); 250
Congenital heart disease, and myocardial metabolism in (A); 254
and the cardiac beta-adrenergic system (A); 243
magnetic resonance imaging of (A); 235
surgery for, long-term psychological findings in children (A); 250
Complex congenital defects, in a criss-cross heart, correction of, by Fontan-operation (CR); 105
Congestive heart failure in newborns caused by placental chorioangioma (CR); 221
Conjoined twins (thoraco-omphalopagus), echo-Doppler assessment of cardiac status of; 91
Contractile state, left ventricular, after correction of tetralogy of Fallot; 61
Coronary arteriovenous fistulas, bilateral (CR); 111
Coronary sinus atrial septal defect with omphalocele (CR); 167
Coronary artery, left main, anamalous origin of (LE); 173
Coronary artery fistulas, embolization transcatheter for (A); 253
Coronary vasculature, in pulmonary atresia with VSD (A); 233
Criss-cross heart, complex congenital defects in, repaired by Fontan-type operation (CR); 105
Cyanotic heart disease, determinants of hemoglobin concentration in; 121

D-transposition of the great arteries, posterior, with aortic obstruction; (CR); 170
Dichloroethylene, as a cause of cardiac teratogenesis in mammals (A); 244

Doppler blood flow velocity waveforms, computerized measurements of (A); 231
Doppler-derived gradient across a residually aortic coarctation; 8
Doppler echocardiography, after arterial switch operation for TGA (A); 240
color-coded, in the perioperative evaluation of congenital mitral regurgitation (CR); 93
for estimating pulmonary vascular resistance in VSD (A); 251
for evaluating responsiveness of pulmonary artery pressure to oxygen (A); 240
in assessing bidirectional flow through VSD (A); 251
in decision making of VSD (A); 238
intraoperative, for assessing Fontan-type procedures (A); 251
of anthracycline-induced ventricular dysfunction (A); 239
of "innocent" systolic murmurs (A); 245
serial, for evaluating diastolic left ventricular function in normal neonates (A); 239
Doppler flow mapping, colour, in the preoperative diagnosis of cardiac anomalies (A); 245
Doppler imaging, quantitative color coded, by device-specific internal signal processing (A); 231
Doppler ultrasound, compared with-cine MRI in evaluation of aortic coarctation (A); 245
epicardial, during surgery for congenital heart disease (A); 232
Double-orifice left ventricle, and single papillary muscle in AVSD; 29
Ductus arteriosus angioplasty by thermal balloon for creating palliative shunt (A); 241
Ductus arteriosus non surgical closure of (A); 241

Ebstein's anomaly, surgical repair of (A); 242
with pulmonary atresia and intact ventricular septum, differential diagnosis of; 86
Echocardiographic and radiological cardiac dimensions, in cardiomegaly in children; 181
diagnosis, of cardiac metastasis in childhood leukemia (CR); 225
monitoring, transtelephonic, in suspected arrhythmias (A); 255
Echocardiography, Doppler in the diagnosos of "innocent" systolic murmurs (A); 245
in assessment of cardiac status in conjoined twins (CR); 91
Doppler, in studying bidirectional flow in VSD (A); 251
in assessment of idiopathic dilatation of the pulmonary artery (A); 239
in classification of simple VSD (A); 237
in trisomy 18 with congenital polyvalvular disease; 138
intraoperative in surgery for a subaortic obstruction (A); 252
intraoperative epicardial Doppler, in surgery for congenital heart disease (A); 232
intraoperative Doppler, in assessing Fontan-type procedures (A); 251
of ventricular septal defect (A); 250
serial two-dimensional, in cardiac rhabdomyoma complicating congenital mitral regurgitation (CR); 98
two-dimensional, in TGA with posterior aorta (CR); 102
color Doppler, in assessing the natural course of VSD in early infancy (A); 247
transesophageal, in anaesthetized children (A); 231
in assessment of atrioventricular junction (A); 232
in children with congenital heart disease (A); 245
in evaluating atrial battle function (A); 232
with pacing in atrial flutter (A); 255
Electropharmacologic test, transesophageal, in familial W-P-W syndrome (CR); 213
Embolization, cerebral, from IVC thrombus (CR); 44
coil, of aorto-pulmonary collaterals (A); 248
transcatheter, of coronary artery fistulas (A); 253
Embryology of the vascular system in the lung (A); 248
Endocarditis, infectious, in children; 77
Endomyocardial biopsy, in infants and children; 15
Enoximone, in newborns with low cardiac output (A); 255
Exercise, in sickle cell anemia (LE); 227
Exercise testing, after surgical closure of VSD (A); 238
training postoperative, after cardiac surgery; 126
Extracorporeal membrance oxygenation, left ventricular function in neonates during (A); 243

Fistulas, bilateral coronary arteriovenous (CR); 111
fistulas coronary artery, by transcatheter embolization (A); 253
Flecainide, (RA); 143
Fontan operation, in a criss-cross heart (CR); 105
plasma atriopeptin after (A); 254
plastic bronchitis as a complication of (LE); 228
ventricular function before and after (A); 238
Fourth aortic arch, derivatives, abnormal development of, in the pathogenesis of tetralogy of Fallot; 69

Gene,, involved in congenital heart defects (A); 250
Genetic analysis of blood pressure and weight in prepubertal twins (A); 255

Glycogen storage disease, type 1, and pulmonary hypertension (CR); 54
Gradient, Doppler-derived, across a residually aortic coarctation; 8
Greater arteries, transposition of, with posterior aorta (CR); 102

Heart disease, fatal thyrotoxic (LE); 230
Heart failure, congestive, in newborns caused by placental choriogangioma (CR); 221
Hemoglobin concentration, determinants of, in cyanotic heart disease; 121
Hupertrophic cardiomyopathy, fatal, in an infant of a diabetic mother (CR); 211
Hypertransfusion therapy, cardiovascular effects of, in children with sickle cell anemia; 121
Hypertrophy, ventricular, morphometric analysis of myocardial bridges in; 186
Hypothermia, deep, brain energy metabolism during, as assessed by 31-P magnetic resonance spectroscopy (A); 246

Idiopathic dilatation of the pulmonary artery, echocardiographic aspects (A); 239
Infectious endocarditis, in children; 77
Inferior vena cava thrombus embolizing to the brain in tetralogy of Fallot (CR); 44
Intracardiac pressure flow dynamics in VSD, non invasive assessment of (A); 247
Intrauterine closure of VSD, anatomic evidence of (CR); 208
Intrauterine transfusion, fetal hemodynamics before and after (A); 242
Intravenous verapamil, for tachyarrhythmia in Duchenne's muscular dystrophy (LE); 177
Isoproterenol perfusion, during transesophagal pacing in W-P-W syndrome (A); 244

Kawasaki disease, cardiovascular anomalies in (A); 249
with mitral regurgitation due to the form mitral leaflet (CR); 153
Ketamine, haemodynamic effects of, during cardiac catheterization; 72

Left heart abnormalities in pulmonary atresia with intact ventricular septum (A); 233
Left heart dimensions in TAPVC (A); 249
Left ventricular dysfunction, late, in tetralogy of Fallot; 61
function, after arterial switch operation (A); 254
in normal neonates by Doppler-echocardiography (A); 239
in neonates on extracorporeal membrance oxygenation (A); 243
mass, assessed by MRI (A); 237
noninvasively assessed in normal hearts (A); 251
thrombus, after repair of truncus arteriosus (CR); 57
Leukemia, childhood, with cardiac metastasis diagnosed by echocardiography (CR); 225
Lung, embryology of the vascular system in, and collateral arteries (A); 248

Magnetic resonance flow imaging, quantitative (A); 235
imaging cine, compared with Doppler ultrasound in aortic coarctation (A); 245
for assessing left ventricular mass (A); 237
for evaluating arterial switch operation of TGA (A); 236
for evaluating pulmonary atresia (A); 236
in assessing aortic recoraction (A); 252
in diagnosis of central pulmonary artery anomalies (A); 36
in diagnosis of coarctation of the aorta (A); 246
in diagnosis of congenital heart defects (A); 246
in pulmonary atresia (A); 236
of congenital heart disease (A); 235
Magnetic resonance spectroscopy in the study of brain energy metabolism in the rabbit (A); 246
Main pulmonary artery, nonbranching, with anomalous origin of both pulmonary arteries (CR); 156
Membrance oxygenation, extracorporeal, left ventricular function in neonates on (A); 243
Mitral leaflet deformity, in Kawasaki disease, mitral regurgitation caused by (CR); 153
Mitral regurgitation, congenital, and disappearing cardiac rhabdomyoma (CR); 98
caused by perforation in the anterior leaflet (CR); 93
with cardiac rhabdomyoma (CR); 98
with mitral leaflet deformity in Kawasaki disease (CR); 153
Morphometric analysis, of myocardial bridges in ventricular hypertrophy; 186
Muscular dystrophy, Duchenne's, intravenous verapamil for tachyarrhythmia in (LE); 177
Myocardial bridges, morphometric analysis of, in ventricular hypertrophy; 186
Myocardial infarction, in a neonatal case of Bland-White-Garland syndrome (LE); 175
Myocardial lesions in pulmonary atresia with intact ventricular septum (A); 253
Myocardial metabolism, in CHD (A); 254
Myocardial scintigraphy with ^{201}thallium (review of 52 cases); 1
Myxoma, right atrial, with nonembolic intestinal manifestation, (CR); 164

Natural history of VSD, (A); 237
Nondeflatable balloon atrial septostomy catheter, successful treatment of (TR); 150

Omphalocele, associated with coronary sinus atrial septal defect (CR); 167
Ostium primum defect and single papillary muscle (CR); 96
Oxygen response of elevated pulmonary artery pressure, measured by Doppler-echocardiography (A); 240

Palliative shunt, creation by thermal balloon angioplasty of ductus arteriosus (A); 241
Papillary muscle, single, and ostium primum defect (CR); 96
Papillary muscle, single (parachute valve) and double-orifice left ventricle; 29
Parachute valve (single papillary muscle and double-orifice left ventricle) in AVSD; 29
Physical activity in a group of children after cardiac surgery; 126
Placental chorioangioma as a cause of congestive heart failure in newborns (CR); 221
Plastic bronchitis as a complication of Fontan operation (LE); 228
Polyvalvular disease in trisomy 18, echocardiographic diagnosis of; 138
Prostaglandins and pulmonary valvotomy for pulmonary atresia with intact ventricular septum (A); 233
Psychological findings, long-term, in children after surgery for CHD (A); 250
Pulmonary arteries, hypoplastic, in pulmonary atresia with VSD (A); 234
Pulmonary artery anomalies diagnosed by MRI (A); 236
anomalous origin of, from ascending aorta (CR); 156
idiopathic dilatation of, assessed by echocardiography (A); 239
in tricuspid regurgitation (A); 239
size increase after balloon dilatation of right ventricular outflow tract in tetralogy of Fallot (A); 240
stenosis dilated by percutaneous balloon catheter (A); 253
Pulmonary artery band, disappearance of (CR); 47
Pulmonary artery pressure elevated, response to oxygen breathing in, as measured by Doppler-echocardiography (A); 240
Pulmonary atresia, evaluation by MRI (A); 236
in Ebstein's malformation, differential diagnosis of; 86
magnetic resonance imaging in (A); 236
with intact ventricular septum, early and late results in treatment of (A); 234
with intact ventricular septum, left heart abnormalities in (A); 233
with intact ventricular septum, myocardial lesions in (A); 253
with intact ventricular septum, pulmonary valvotomy and continued prostaglandins for (A); 233
with intact ventricular septum, role of right ventricular size in surgical management of (A); 233
with MAPCAs, results after correction (A); 234
with ventricular septal defect, results of unifocalization (A); 234
with VSD and hypoplastic pulmonary arteries, staged operations for (A); 234
with VSD, preoperative assessment, of, (A); 247
with VSD, scoliosis postoperatively in (A); 248
without VSD, coronary vasculature in (A); 233
without VSD: natural history of (A); 253
Pulmonary hypertension in patients with VSD (A); 247
in type 1 glycogen storage disease (CR); 54
postoperative, incidence and theraphy of (A); 249
Pulmonary stenosis, Brock transventricular pulmonary valvotomy of; 191
Pulmonary valvotomy, and prostaglandins for pulmonary atresia with intact ventricular septeum (A); 233
Brock transventricular, in pulmonary stenosis; 191
Pulmonary vascular resistance in VSD by combined echo-Doppler cardiography (A); 251

Recoarction, aortic, assessed by MRI (A); 252
Right atrial myxoma, with nonembolic intestinal manifestation (CR); 164
Right ventricular size in pulmonary atresia with intact ventricular septum (A); 233

Scintigraphy, myocardial, with ^{201}thallium in pediatric cardiology; 1
Scoliosis and cardiac surgery in pulmonary atresia with ventricular septal defect (A); 248
Sickle cell anemia, cardiovascular effects of hypertransfusion therapy in; 131 exercise in (LE); 227
Sinus of Valsalva, non coronary, anomalous origin of the left main coronary artery from (LE); 173
Spontaneous intrauterine closure of VSD, (CR); 208
Stenosis of pulmonary arteries dilated by percutaneous balloon catheter (A); 253
Subaortic obstruction, intraoperative echocardiography in (A); 252
Sudden death risk, with isoproterenol perfusion during transoesophagal pacing in WP-W syndrome (A); 244
Surgery, of pulmonary atresia with intact ventricular septum (role of right ventricular size) (A); 233
Syndrome of absent pulmonary valve with VSD in coarctation of the aorta (CR); 159

Systolic blood pressure and weight in prepubertal twins, genetic analysis of (A); 255

Tachyarrhythmia, intravenous verapamil for, in Duchenne's muscular dystrophy (LE); 177
Tetralogy of Fallot, aortopulmonary window (echocardiographic diagnosis) (CR); 41
cerebral embolization from an IVC thombus in (CR); 44
of right ventricular outflow tract dilatation of, by balloon (A); 240
left ventricular contractile state after surgical correction of; 61
pathogenesis of; 69
transatrial repair of (A); 242
Thermal balloon angioplasty, of ductus arteriosus (A); 241
Thoracoabdominal, aortic aneurysm and blood elastase activity (LE); 179
Thoraco-omphalopagus, (conjoined) twins, echo-Doppler assessment of; 91
Thrombus, left ventricular, after repair of truncus arteriosus (CR); 57
Thyrotoxic heart disease, fatal (LE); 230
Total anomalous pulmonary venus connection, left heart dimensions in (A); 249
Transatrial repair, of tetralogy of Fallot (A); 242
Transcatheter closure of secundum of ASD (A); 241
Transcatheter embolization of coronary artery fistulas (A); 253
Transesophageal electropharmacologic test, and pacing in atrial flutter (A); 255
in familial W-P-W syndrome (CR); 231
in anaesthetized children (A); 231
for assessment of congenital abnormalities of the atrioventricular junction (A); 232
for evaluating atrial battle function (A); 232
in children with congenital heart disease (A); 245
with pacing in asymptomatic children with W-P-W syndrome (A); 244
Transfusion, intrauterine, fetal hemodynamics before and after (A); 242
Transposition of the great arteries, arterial switch operation results evaluated by MRI (A); 236
arterial switch procedure for, and left ventricular functional reserve (A); 254
corrected by arterial switch procedure, echo-Doppler evaluation of (A); 240
posterior D with aortic obstruction (CR); 170
with posterior aorta (CR); 102
Transventricular pulmonary valvotomy, Brock, in pulmonary stenosis; 191
Trichloroethene as a cause of cardiac teratogenesis in mammals (A); 244
Tricuspid orifice, congenitally unguarded, differential diagnosis of; 86
Tricuspid regurgitation, and pulmonary artery pressure (A); 239
Trisomy 18, congenital polyvalvular disease in; 138
Truncus arteriosus, (an angiographic study) (RA); 36
repair of, followed by left ventricular thrombus (CR); 57
with type B interrupted aortic arch: correction in the neonate (CR); 117
Truncus solitarius pulmonalis, (CR); 50
Twins, prepubertal, systolic blood pressure and weight in, genetic analysis of (A); 255

Unifocalization, for pulmonary atresia with VSD (A); 234

Valvotomy, emergency aortic balloon, in critical aortic stenosis of the neonate (LE); 59
Ventricular contractile state, left, after correction of tetralogy of Fallot; 61
Ventricular dysfunction, left, after surgical correction of tetralogy of Fallot; 61
Ventricular dysfunction, induced by anthracycline, assessed by Doppler-echocardiography (A); 239
Ventricular dysplasia, arrhythmogenic in brother- and sister-relation to myocarditis? (CR); 113
Ventricular function before and after Fontan operation (A); 238
Ventricular hypertropy in children, morphometric analysis of myocardial bridges in; 186
Ventricular mass, left, assessed by MRI (A); 237
Ventricular septal defect, assessed by Doppler echocardiography (A); 238
bidirectional Mow in VSD, studied by Doppler-echocardiography (A); 251
classified by echocardiography (A); 237
echocardiographic assessment of (A); 250
estimation of the pulmonary vascular resistance of, by echo-Doppler cardiography (A); 251
exercise testing after surgical correction of (A); 238
high pulmonary hypertension in (A); 247
in early infancy, natural course of (A); 247
its intracardiac pressure now dynamics noninvasively assessed (A); 247
natural history of, (A); 237
postoperative, and exercise testing (A); 238
related to components of the ventricular septum (A); 237
spontaneous intrauterine closure of (CR); 208
with pulmonary atresia, preoperative assessment of (A); 247
Ventricular septum, components of (A); 237
Ventricular thrombus, left, after reapir of truncus arteriosus (CR); 57

Verapamil, intravenous for tachyarrhythmia in Duchenne's muscular dystrophy (LE); 177

Weight and systolic blood pressure in prepubertal twins, genetic analysis of (A); 255

Wolff-Parkinson-White syndrome familial, transesophageal electropharmacologic test in (CR); 213
sudden death risk of, during isoproterenol perfusion with transoesophagal pacing (A); 244

Pediatr Cardiol 11:268–270, 1990

Author Index

Alderete L (*see* Berman Jr W) *72*
Aldousany AW, DiSessa TG, Alpert BS, Birnbaum SE, Willey ES: Significance of the Doppler-Derived Gradient Across a Residual Aortic Coarctation *8*
Alekian BG (*see* Podzolkov VP) *105*
Alpert BS: Exercise in Sickle Cell Anemia *227*
Alpert BS (*see* Aldousany AW) *8*
Amplatz K (*see* Garcia-Medina V) *147*
Anderson RH, Silverman NH, Zuberbuhler JR: Congenitally Unguarded Tricuspid Orifice: Its Differentiation from Ebstein's Malformation in Association with Pulmonary Atresia and Intact Ventricular Septum *86*
Anuras S (*see* Park JM) *164*
Aotsuka H, Nagai Y, Saito M, Matsumoto H, Nakamura T: Anomalous Origin of Both Pulmonary Arteries from the Ascending Aorta with a Nonbranching Main Pulmonary Artery Arising from the Right Ventricle *156*
Apitz J (*see* Schmaltz AA) *15*
Arcilla RA (*see* Lester LA) *131*
Austoni P, Figini A, Vignati G, Donatelli F: Emergency Aortic Balloon Valvotomy in Critical Aortic Stenosis of the Neonate *59*

Balakrishnan KG (*see* Joy J) *111*
Balderston SM, Shaffer EM, Washington RL, Sondheimer HM: Congenital Polyvalvular Disease in Trisomy 18: Echocardiographic Diagnosis *138*
Balduzzi A (*see* Carminati M) *41*
Bass J (*see* Garcia-Medina V) *147*
Benatar A, de Jesus Antunes M, Levin SE: Posterior D-Transposition of the Great Arteries with an Unusual Form of Aortic Obstruction *170*
Benjamin P (*see* Geva T) *44*
Berman Jr W, Fripp RR, Rubler M, Alderete L: Hemodynamic Effects of Ketamine in Children Undergoing Cardiac Catheterization *72*
Berry PJ (*see* McMahon JN) *211*
Bessel M (*see* Gidding SS) *121*
Birnbaum SE (*see* Aldousany AW) *8*
Björkhem G, Evander E, White T, Lundström N-R: Myocardial Scintigraphy with ^{201}Thallium in Pediatric Cardiology: A Review of 52 Cases *1*
Blomström-Lundqvist C (*see* Sabel K-G) *113*
Bolens M, Friedli B: Junctional Ectopic Tachycardia with a Benign Course in a Premature Infant *216*
Borghi A (*see* Carminati M) *41*
Boscioni M (*see* Colloridi V) *213*
Bouza E (*see* Parras F) *77*
Braunlin E (*see* Garcia-Medina V) *147*
Brito J (*see* Parras P) *77*
Bühlmeyer K (*see* Stern H) *22*
Bühlmeyer K (*see* Vogel M) *191*
Buzón L (*see* Parras F) *77*

Canter CE (*see* Hunkeler N) *225*
Carminati M, Borghi A, Valsecchi O, Quattrociocchi M, Balduzzi A, Rusconi P, Russo MG, Festa P, Preda L, Tiraboschi R: Aortopulmonary Window Coexisting with Tetralogy of Fallot: Echocardiographic Diagnosis *41*
Casteneda-Zuniga WR (*see* Garcia-Medina V) *147*
Cheatham JP (*see* Gumbiner CH) *167*
Chiaureli MR (*see* Podzolkov VP) *105*
Chiba S (*see* Tomita H) *153*
Chin AJ (*see* Lin AE) *195*
Chung H-N, Mito H, Yarnaguchi M: Coronary Arteriography Using Balloon Occlusion of the Aortic Root in Infants with Transposition of the Great Arteries *219*
Colloridi V, Boscioni M, Patruno N, Pulignano G, Critelli G: Transesophageal Electropharmacologic Test in a Newborn with Familial Wolff-Parkinson-White Syndrome *213*
Colloridi V, Roggini M, Formigari R, Ventriglia F, Giglioni E: Plastic Bronchitis as a Rare Complication of Fontan's Operation *228*
Colvin S (*see* Danilowicz D) *47*
Cooper R (*see* Szulc M) *96*
Critelli G (*see* Colloridi V) *213*
Culham JAG (*see* Wilson NJ) *150*

Danilowicz D, Presti S, Colvin S: The Disappearing Pulmonary Artery Band *47*
Davidson A, Krull F, Kallfelz HC: Cardiomegaly—What Does It Mean?: A Comparison of Echocardiographic to Radiological Cardiac Dimensions in Children *181*
de Jesus Antunes M (*see* Benatar A) *170*
Dev V, Pothineni RB, Rohatgi M, Shrivastava S: Echo-Doppler Assessment of Cardiac Status in Conjoined (Thoraco-Omphalopagus) Twins *91*
DiSessa TG (*see* Aldousany AW) *8*
Donatelli F (*see* Austoni P) *59*
Draulans-Noë HAY, Wenink ACG, Quaegebeur J: Single Papillary Muscle ("Parachute Valve") and Double-Orifice Left Ventricle in Atrioventricular Septal Defect Convergence of Chordal Attachment: Surgical Anatomy and Results of Surgery *29*

Edwards JC (*see* Raudkivi PJ) *117*
Eger R (*see* Vogel M) *191*
Eneström S (*see* Sabel K-G) *113*
Erbel R (*see* Schranz D) *93*
Evander E (*see* Björkhem G) *1*

Festa P (*see* Carminati M) *41*
Figini A (*see* Austoni P) *59*
Fleming WH (*see* Gumbiner CH) *167*
Formigari R (*see* Colloridi V) *228*
Frand M (*see* Geva T) *44*
Frenkel M (*see* Szulc M) *96*
Friedli B (*see* Bolens M) *216*
Fripp RR (*see* Berman Jr W) *72*
Furukawa N (*see* Hamaoka K) *54*

Garcia RR (*see* Park JM) *164*
Garcia-Medina V, Bass J, Braunlin E, Krabill KA, Pyles L Casteneda-Zuniga WR, Hunter DW, Amplatz K: A Useful Projection for Demonstrating the Bifurcation of the Pulmonary Artery *147*
Genz T (*see* Stern H) *22*

Geva T, Frand M, Benjamin P, Hegesh J: Cerebral Embolization from an Inferior Vena Cava Thrombus in Tetralogy of Fallot *44*
Gidding SS, Bessel M, Liao Y: Determinants of Hemoglobin Concentration in Cyanotic Heart Disease *121*
Giglioni E (*see* Colloridi V) *228*
Gittenberger-de Groot AC (*see* Hofbeck M) *159*
Goode RC (*see* Longmuir PE) *126*
Gumbiner CH, Hofschire PJ, Cheatham JP, Latson LA, Kugler JD, Fleming WH: Omphalocele Associated with Coronary Sinus Atrial Septal Defect: Report of Two Cases *167*

Hamaoka K, Nakagawa M, Furukawa N, Sawada T: Pulmonary Hypertension in Type I Glycogen Storage Disease *54*
Hamaoka K (*see* Shiraishi I) *82*
Haneda N (*see* Hayashi Y) *175*
Hausdorf G, Hinrichs C, Nienaber CA, Schark C, Keck EW: Left Ventricular Contractile State After Surgical Correction of Tetralogy of Fallot: Risk Factors for Late Left Ventricular Dysfunction *61*
Hayakawa K (*see* Matsuoka Y) *98*
Hayakawa K (*see* Sennari E) *50*
Hayashi Y, Kishida K, Haneda N, Mori C: A Case of Bland-White-Garland Syndrome with Myocardial Infarction on the First Day After Birth *175*
Hayashi S (*see* Shiraishi I) *82*
Hegesh J (*see* Geva T) *44*
Higashidate Y (*see* Tomita H) *153*
Hillman M (*see* Ilan Y) *177*
Hinrichs C (*see* Hausdorf G) *61*
Hofbeck M, Röckelein G, Singer H, Rein J, Gittenberger-de Groot AC: Coarctation of the Aorta in the Syndrome of Absent Pulmonary Valve with Ventricular Septal Defect *159*
Hofschire PJ (*see* Gumbiner CH) *167*
Hort W (*see* Schmaltz AA) *15*
Human D (*see* Ryan CA) *57*
Hunkeler N, Canter CE: Antemortem Diagnosis of Gross Cardiac Metastasis in Childhood Leukemia: Echocardiographic Demonstration *225*
Hunter DW (*see* Garcia-Medina V) *147*
Hutcheon N (*see* Lester LA) *131*
Huth R (*see* Schranz D) *93*

Ikeda K (*see* Nakajima Y) *69*
Ilan Y, Hillman M, Oren R: Intravenous Verapamil for Tachyarrhythmia in Duchenne's Muscular Dystropy *177*
Ishikawa T, Otsuka T, Suzuki T: Anomalous Origin of the Left Main Coronary Artery from the Noncoronary Sinus of Valsalva *173*
Ito S (*see* Tomita H) *153*
Ivanitsky AV (*see* Podzolkov VP) *105*
Iversen S (*see* Schranz D) *93*

Joffe HS (*see* McMahon JN) *211*
Joy J, Titus T, Venkitachalam CG, Balakrishnan KG: Bilateral Coronary Arteriovenous Fistulas *111*
Julsrud PR (*see* Yoshizato T) *36*
Jüngst B-K (*see* Schranz D) *93*

Kallfelz HC (*see* Davidson A) *181*
Kaplovitz H (*see* Szulc M) *96*
Kawaguchi K (*see* Matsuoka Y) *98*
Keck EW (*see* Hausdorf G) *61*
Keeton BR (*see* Raudkivi PJ) *117*
Kelener J (*see* Nir A) *208*
Kishida K (*see* Hayashi Y) *175*
Klinner W (*see* Vogel M) *191*
Kogasaka R (*see* Tomita H) *153*
Koh E (*see* Shiraishi I) *82*
Koivu MK, Nuutinen EM: Large Placental Chorioangioma as a Cause of Congestive Heart Failure in Newborn Infants *221*
Koono M (*see* Sennari E) *50*
Krabill KA (*see* Garcia-Medina V) *147*
Krull P (*see* Davidson A) *181*
Kugler JD (*see* Gumbiner CH) *167*

Latson LA (*see* Gumbiner CH) *167*
Lester LA, Sodt PC, Hutcheon N, Arcilla RA: Cardiovascular Effects of Hypertransfusion Therapy in Children with Sickle Cell Anemia *131*
Levin SE (*see* Benatar A) *170*
Liao Y (*see* Gidding SS) *121*
Lin AE, Chin AJ: Absent Aortic Valve: A Complex Anomaly *195*
Longmuir PE, Tremblay MS, Goode RC: Postoperative Exercise Training Develops Normal Levels of Physical Activity in a Group of Children Following Cardiac Surgery *126*
Lundström N-R (*see* Björkhem G) *1*
Lurie M (*see* Nir A) *208*

Maisch B (*see* Schmaltz AA) *15*
Makhachev OA (*see* Podzolkov VP) *105*
Manners JM (*see* Raudkivi PJ) *117*
Matsumoto H (*see* Aotsuka H) *156*
Matsuoka Y, Nakati T, Kawaguchi K, Hayakawa K: Disappearance of a Cardiac Rhabdomyoma Complicating Congenital Mitral Regurgitation as Observed by Serial Two-Dimensional Echocardiography *98*
Matsuoka Y (*see* Sennari E) *50*
McMahon JN, Berry PJ, Joffe HS: Patal Hypertrophic Cardiomyopathy in an Infant of a Diabetic Mother *211*
Mito H (*see* Chung H-N) *219*
Miyake T, Yokoyama T, Shirotani H: Transposition of the Great Arteries with Posterior Aorta: Detection by Two-Dimensional Echocardiography *102*
Momma K (*see* Nakajima Y) *69*
Monro JL (*see* Raudkivi PJ) *117*
Moragas A (*see* Reig J) *186*
Mori C (*see* Hayashi Y) *175*
Mucklow ES: Fatal Thyrotoxic Heart Disease in a 7-year-old Girl *229*

Nagai Y (*see* Aotsuka H) *156*
Nakagawa M (*see* Hamaoka K) *54*
Nakajima Y, Nishibatake M, Ikeda K, Momma K, Takao A, Terai M: Abnormal Development of Fourth Aortic Arch Derivatives in the Pathogenesis of Tetralogy of Pallot *69*
Nakamura T (*see* Aotsuka H) *156*
Nakati T (*see* Matsuoka Y) *98*
Nienaber CA (*see* Hausdorf G) *61*
Nir A, Weintraub Z, Oliven A, Kelener J, Lurie M: Anatomic Evidence of Spontaneous Intrauterine Closure of a Ventricular Septal Defect *208*
Nishibatake M (*see* Nakajima Y) *69*
Nishiguchi T (*see* Sennari E) *50*
Nuutinen EM (*see* Koivu MK) *221*

Oelert H (*see* Schranz D) *93*
Okishima T (*see* Sennari E) *50*
Oliven A (*see* Nir A) *208*
Olsson SB (*see* Sabel K-G) *113*
Onouchi Z (*see* Shiraishi I) *82*
Oren R (*see* Ilan Y) *177*
Otsuka T (*see* Ishikawa T) *173*

Park JM, Garcia RR, Patrick JK, Waagner D, Anuras S: Right Atrial Myxoma with a Nonembolic Intestinal Manifestation *164*
Parras F, Bouza E, Romero J, Buzón L, Quero M, Brito J, Vellibre D: Infectious Endocarditis in Children *77*
Patrick JK (*see* Park JM) *164*
Patruno N (*see* Colloridi V) *213*
Podzolkov VP, Ivanitsky AV, Makhachev OA, Alekian BG, Chiaureli MR, Ragimov FR: Fontan-Type Operation for Correcting Complex Congenital Defects in a Criss-Cross Heart *105*
Poon E (*see* Szulc M) *96*
Pothineni RB (*see* Dev V) *91*
Preda L (*see* Carminati M) *41*
Presti S (*see* Danilowicz D) *47*
Pulignano G (*see* Colloridi V) *213*
Pyles L (*see* Garcia-Medina V) *147*

Quaegebeur J (*see* Draulans-Noë HAY) *29*
Quattrociocchi M (*see* Carminati M) *41*
Quero M (*see* Parras F) *77*

Ragimov FR (*see* Podzolkov VP) *105*
Raudkivi PJ, Sutherland GR, Edwards JC, Manners JM, Keeton BR, Monro JL: Truncus Arteriosus with Type B Interrupted Aortic Arch: Correction in the Neonate *117*
Reig J, Ruiz de Miguel C, Moragas A: Morphometric Analysis of Myocardial Bridges in Children with Ventricular Hypertrophy *186*
Rein J (*see* Hofbeck M) *159*
Röckelein G (*see* Hofbeck M) *159*
Roggini M (*see* Colloridi V) *228*
Rohatgi M (*see* Dev V) *91*
Romero J (*see* Parras F) *77*
Rubler M (*see* Berman Jr W) *72*
Ruiz de Miguel C (*see* Reig J) *186*
Rusconi P (*see* Carminati M) *41*
Russo MG (*see* Carminati M) *41*
Ryan CA, Sodar CM, Zalzstein E, Human D: Left Ventricular Thrombus Following Repair of Truncus Arteriosus *57*

Sabel K-G, Blomström-Lundqist C, Olsson SB, Eneström S: Arrhythmogenic Right Ventricular Dysplasia in Brother and Sister: Is it Related to Myocarditis? *113*
Saito M (*see* Aotsuka H) *156*
Sandor GGS (*see* Wilson NJ) *150*
Sato Y (*see* Sennari E) *50*
Sawada T (*see* Hamaoka K) *54*
Sawada T (*see* Shiraishi I) *82*
Sawada Y (*see* Tomita H) *153*
Schark C (*see* Hausdorf G) *61*
Schmaltz AA, Apitz J, Hort W, Maisch B: Endomyocardial Biopsy in Infants and Children: Experience in 60 Patients *15*
Schneeweiss A: Cardiovascular Drugs in Children. II. Angiotensin-Converting Enzyme Inhibitors in Pediatric Patients *199*
Schneeweiss A: New Antiarrhythmic Drugs. II. Flecainide *143*
Schranz D, Oelert H, Iversen S, Schuind A, Huth R, Jüngst B-K, Stopfkuchen H, Erbel R: Congenital Mitral Regurgitation Caused by a Perforation in the Anterior Leaflet: Perioperative Evaluation by Color-Coded Doppler Echocardiography *93*
Schuind A (*see* Schranz D) *93*
Sennari E, Nishiguchi T, Okishima T, Koono M, Matsuoka Y, Sato Y, Hayakawa K: Truncus Solitarius Pulmonalis *50*
Shaffer EM (*see* Balderston SM) *138*
Shiraishi I, Hamaoka K, Hayashi S, Koh E, Onouchi Z, Sawada T: Atrial Septal Aneurysm in Infancy *82*
Shirotani H (*see* Miyake T) *102*
Shrivastava S (*see* Dev V) *91*
Silverman NH (*see* Anderson RH) *86*
Singer H (*see* Hofbeck M) *159*
Sodar CM (*see* Ryan CA) *57*
Sodt PC (*see* Lester LA) *131*
Sondheimer HM (*see* Balderston SM) *138*
Stern H, Weil J, Genz T, Vogt W, Bühlmeyer K: Captopril in Children with Dilated Cardiomyopathy: Acute and Long-Term Effects in a Prospective Study of Hemodynamic and Hormonal Effects *22*
Stopfkuchen H (*see* Schranz D) *93*
Sutherland GR (*see* Raudkivi PJ) *117*
Suzuki T (*see* Ishikawa T) *173*
Szulc M, Poon E, Cooper R, Kaplovitz H, Frenkel M, Tranbaugh R: Single Papillary Muscle and Ostium Primum Defect *96*

Takao A (*see* Nakajima Y) *69*
Terai M (*see* Nakajima Y) *69*
Tiraboschi R (*see* Carminati M) *41*
Titus T (*see* Joy J) *111*
Tomita H, Sawada Y, Higashidate Y, Chiba S, Ito S, Kogasaka R: Mitral Regurgitation with Gross Deformity of a Mitral Leaflet Due to Kawasaki Disease *153*
Tranbaugh R (*see* Szulc M) *96*
Tremblay MS (*see* Longmuir PE) *126*
Tsuji A: An Infant with Aneurysm of the Thoracoabdominal Aorta and Blood Elastase Activity *179*

Valsecchi O (*see* Carminati M) *41*
Vellibre D (*see* Parras F) *77*
Venkitachalam CG (*see* Joy J) *111*
Ventriglia F (*see* Colloridi V) *228*
Vignati G (*see* Austoni P) *59*
Vogel M, Eger R, Klinner W, Bühlmeyer K: Brock Transventricular Pulmonary Valvotomy in Patients with Pulmonary Stenosis: Long-Term Results *191*
Vogt W (*see* Stern H) *22*

Waagner D (*see* Park JM) *164*
Washington RL (*see* Balderston SM) *138*
Weil J (*see* Stern H) *22*
Weintraub Z (*see* Nir A) *208*
Wenink ACG (*see* Draulans-Noë HAY) *29*
White T (*see* Björkhem G) *1*
Willey ES (*see* Aldousany AW) *8*
Wilson NJ, Culham JAG, Sandor GGS: Successful Treatment of a Nondeflatable Balloon Atrial Septostomy Catheter *150*

Yamaguchi M (*see* Chung H-N) *219*
Yokoyama T (*see* Miyake T) *102*
Yoshizato T, Julsrud PR: Truncus Arteriosus Revisited: An Angiographic Demonstration *36*

Zalzstein E (*see* Ryan CA) *57*
Zuberbuhler JR (*see* Anderson RH) *86*